

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

Please amend the claims as follows:

1. (Currently amended) A method for preserving data on a portable apparatus having a limited power source comprising:

detecting that power available in said power source has reached a first threshold value;

notifying a user remote portal server that the first threshold value has been reached;

detecting that power available in said power source has reached a second threshold value; and

saving data stored in volatile memory on said portable apparatus to [[a]] the remote portal server responsive to said second threshold value being reached.

2. (Currently amended) The method as claimed in claim 1 further comprising:

warning ~~said~~ a user that any subsequent data entry is at risk of being lost responsive to said second threshold value being reached.

3. (Previously presented) The method as in claim 1 further comprising:

sending a battery to a user of portable apparatus when power available in said power source has reached said second threshold value.

4. (Original) The method as in claim 3 wherein said second threshold value is less than said first threshold value.

5. (Previously presented) The method as in claim 1 further comprising:  
restoring said data to said portable apparatus after said power supply rises above said second threshold value.

6. (Previously presented) The method as in claim 1 wherein saving further comprises:  
saving all data stored in volatile memory to said remote portal server.

7. (Previously presented) The method as in claim 1 wherein saving comprises:  
only saving unrecoverable data to said remote portal server.

8. (Currently amended) An apparatus comprising:  
power level detection logic to detect when power available in a power source has reached a first threshold value and a second threshold level; and  
logic to alert a user remote portal server that said first threshold value has been reached;  
data preservation logic to save data stored in volatile memory on said apparatus to ~~[[a]]~~ the remote portal server responsive to said second threshold level being reached.

9. (Currently amended) The apparatus as claimed in claim 8 further comprising:

logic to warn ~~said~~ a user that any subsequent data entry is at risk of being lost.

10. (Cancelled)

11. (Previously presented) The apparatus as in claim 8 wherein said second threshold value is less than said first threshold value.

12. (Previously presented) The apparatus as in claim 8 data preservation logic to restore said data to said apparatus after said power supply rises above said second threshold value.

13. (Previously presented) The apparatus as in claim 8 wherein saving further comprises:

saving all data stored in volatile memory to said remote portal server.

14. (Previously presented) The apparatus as in claim 8 wherein saving comprises:

only saving unrecoverable data to said remote portal server.

15. (Currently amended) A portable data processing apparatus comprising:

power detection logic to detect that power available in a power source has reached a threshold value; and

power notification logic to notify a remote portal server that the power source has reached a threshold value; and

~~saving data~~ saving logic stored in volatile memory on said portable data processing apparatus to save data on said portable data processing apparatus to a portal server in response to said power detection logic detecting that power available in said power source has reached said threshold value.

16. (Currently amended) The apparatus as claimed in claim 15 further comprising:

warning logic to warn ~~said~~ a user that any subsequent data entry is at risk of being lost.

17. (Original) The apparatus as in claim 15 further comprising:

data restoration logic to restore said data to said portable apparatus after said power supply rises above said threshold value.

18. (Currently amended) A computer-readable medium including program code which, when executed by a computer, cause said computer to perform the operations of:

detecting that power available in a power source of said machine has reached a threshold value; ~~and~~

notifying a remote portal server that the power source of said machine has reached a threshold value; and

saving data stored in volatile memory on said machine to a portal server responsive to said threshold value being reached.

19. (Currently amended) The computer-readable medium as claimed in claim 18 including additional program code to cause said machine to perform the operations of:

warning ~~said~~ a user that any subsequent data entry is at risk of being lost.

20. (Cancelled)

21. (Previously presented) The method as in claim 1 further comprising notifying said remote portal server that the first threshold value has been reached.